

Neat Delivery

Simple, Quick, Cost-Effective

ChemTreat's Neat Delivery provides a hands-off chemical delivery service.

All drums are transferred by a trained Neat Delivery Specialist and removed from the premises at the time of chemical delivery.


The Neat Delivery program is designed for fast, convenient drum transfer that saves you money.

This is one of the many ways ChemTreat shows its ongoing commitment to the environment and to the safety of our customers and staff.

- White-glove service
- Streamlined delivery
- Improved inventory management
- Convenient, consistent delivery schedule



■ ASSMANN SINGLE WALL NEAT DELIVERY TANK WITH CONTAINMENT



Storage Tank - HDXLPE, 1.9 Sp. Gr., Hydrotest/Tank ID, Vented Lid

Capacity (Gal.)	Model #	Diameter	Height	Weight	Notes
400	CFS400ND-BH	48"	63"	99 lbs.	* ▲
200	CFS200ND-BH	35"	58.25"	64 lbs.	* ▲
140	CFS140ND-BH	29"	60"	50 lbs.	* ▲
80	CFS80ND-BH	24"	51"	30 lbs.	*
60	CFS60ND-BH	23"	42"	28 lbs.	*
40	CFS40ND-BH	20"	39"	20 lbs.	*


* Level indication with display is required if colored, stained, or insulated tank
▲ Stand not available

Containment Basin - HDLPE w/ ChemTreat Logo

Capacity (Gal.)	Length	Width	Height	Weight	Pump Shelf
440	72"	60"	30"	175 lbs.	optional
240	60"	43"	28"	80 lbs.	optional
155	52"	38"	24"	65 lbs.	optional
95	47"	32"	20"	40 lbs.	optional
53	32"	26"	20"	25 lbs.	optional

Assman Neat Delivery System Includes Single Wall Tank, Containment Basin, and Fittings. Pump Shelf and Tank Stand Optional.

■ SNYDER SINGLE WALL NEAT DELIVERY TANK WITH CONTAINMENT



Storage Tank - HDXLPE, 1.9 Sp. Gr

Capacity (Gal.)	Model #	Diameter	Height	Weight	Notes
150	150NDS-BH	33.75"	61.4"	60 lbs.	* ▲
90	90NDS-BH	33.75"	41"	45 lbs.	*
60	60NDS-BH	25.75"	40"	30 lbs.	*


* Level indication with display is required if colored, stained, or insulated tank
▲ Stand not available

Containment Basin - HDLPE w/ ChemTreat Logo

Capacity (Gal.)	Length	Width	Height	Weight	Pump Shelf
185	56.18"	42.65"	23.75"	80 lbs.	16.5"
90	46.68"	35.68"	17.75"	54 lbs.	7.75"

Snyder Neat Delivery System Includes Single Wall Tank, Containment Basin, Pump Shelf, and Fittings. Tank Stand Optional.


■ ASSMANN DOUBLE WALL NEAT DELIVERY TANK



Capacity (Gal.)	Model #	Diameter	Height	Weight	Notes
165	IMT165ND-BH	34.5"	65.75"	148 lbs.	*
120	IMT120ND-BH	34.5"	51"	122 lbs.	*
85	IMT85ND-BH	34.5"	38.5"	100 lbs.	*
65	IMT 65ND-BH	26.25"	48"	82 lbs.	*
40	IMT40ND-BH	26.25"	34"	62 lbs.	*


* Level indication with display required

■ SNYDER DOUBLE WALL NEAT DELIVERY TANK



Capacity (Gal.)	Model #	Diameter	Height	Weight	Notes
360	DW360NDS-BH	49"	61"	255 lbs.	*
150	DW150NDS-BH	31"	60"	135 lbs.	*
120	DW120NDS-BH	31"	49.5"	115 lbs.	*
60	DW60NDS-BH	23"	40"	75 lbs.	*

* Level indication with display required




■ PEABODY (GEMINI) DOUBLE WALL NEAT DELIVERY TANK SYSTEM - CYLINDRICAL

Storage Tank - HDXLPE, 1.9 Sp. Gr., Hydrotest/Tank ID, Vented Lid

Capacity (Gal.)	Model #	Diameter	Height	Weight	Notes
220	G220NDBLUE	48"	48"	172 lbs.	*
120	G120NDBLUE	33"	47"	76 lbs.	*
90	G90NDBLUE	34"	41.25"	75 lbs.	*
65	G65NDBLUE	27"	47"	48 lbs.	*
40	G40NDBLUE	22"	42.5"	43 lbs.	*

* Level indication with display required



■ PEABODY (GEMINI) DOUBLE WALL NEAT DELIVERY TANK SYSTEM - SQUARE

Storage Tank - HDXLPE, 1.9 Sp. Gr., Hydrotest/Tank ID, Vented Lid

Capacity (Gal.)	Model #	Length x Width	Height	Weight	Notes
175	G175SQNDBLUE	35" x 35"	58"	163 lbs.	*
120	G120SQNDBLUE	30" x 30"	48"	105 lbs.	*
70	G70SQNDBLUE	24" x 24"	40.5"	66 lbs.	*
40	G40SQNDBLUE	20" x 20"	37.25"	45 lbs.	*

* Level indication with display required



■ TITAN STAINLESS STEEL NEAT DELIVERY TANK


Storage Tank

Capacity (Gal.)	Width x Length	Height	Weight (lbs)	Model #
350	48" x 42"	47"	500	T350NDS-SS
200	36" x 36"	40.5"	380	T200NDS-SS
140	30" x 30"	40.5"	305	T140NDS-SS
80	24" x 24"	38.5"	235	T80NDS-SS

Containment Basin

Capacity (Gal.)	Width x Length	Height	Containment Weight (lbs)
385	52" x 66"	27"	450
220	40" x 60"	23"	245
154	34" x 54"	21"	195
88	28" x 48"	16"	135

Flammable liquids with a flashpoint below 100°F (37.8°C) are recommended to be stored in steel. All other tank materials of construction options would need to be reviewed and approved by Tank Department (email address: tanks@chemtreat.com) and compliance. Product flashpoint can be found in section 9 of SDS.



■ CUSTOM METALCRAFT STAINLESS STEEL NEAT DELIVERY TANK

Storage Tank

Capacity (Gal.)	Width x Length	Height	Weight (lbs)	Model #
350	48" x 42"	47"	550	C350NDS-SS
180	36" x 36"	40.5"	385	C180NDS-SS
140	30" x 30"	42"	355	C140NDS-SS
80	24" x 24"	38"	310	C80NDS-SS

Containment Basin

Capacity (Gal.)	Width x Length	Height	Containment Weight (lbs)
400	60" x 60"	26"	430
200	44" x 43"	23"	295
160	38" x 48"	48"	210
100	32" x 42"	17"	150

Flammable liquids with a flashpoint below 100°F (37.8°C) are recommended to be stored in steel. All other tank materials of construction options would need to be reviewed and approved by Tank Department (email address: tanks@chemtreat.com) and compliance. Product flashpoint can be found in section 9 of SDS.

*A quote is required for purchase within 30 days for stainless steel tanks.



© 2024 ChemTreat, Inc.

Contact Us for More Info:

ChemTreat, Inc.

5640 Cox Road / Glen Allen, Virginia 23060

www.chemtreat.com / (800) 648-4579